

REFERENCES

BOOKS

1. Application of 6-750 kV metal-oxide surge arresters for power networks
// M. Dmitriev, 2007, 56p.
2. Protection of 35-750 kV switchgears from lightning overvoltages
// M. Dmitriev, 2008, 60p.
3. Application of 6-750 kV metal-oxide surge arresters for overhead line protection
// M. Dmitriev, 2009, 92 p.
4. Bonding and grounding of power cable screens
// M. Dmitriev, 2010, 152 p.
5. High voltage cable lines
// M. Dmitriev, 2021, **688 p.**
6. Magnetization-controlled shunt reactors
// G. Evdokunin, M. Dmitriev and others, 2013, 280p.

ARTICLES

I. The "Electric Power: Transmission and Distribution" magazine

1. Selection and implementation of bonding/grounding schemes for single-core cable screens
// M. Dmitriev, 2013, No.6, pp.90-97.
2. Automatic reclosure for mixed cable and overhead lines
// M. Dmitriev, 2015, No.1, pp.68-73.
3. About polyethylene pipes for laying cable lines
// M. Dmitriev, A. Ovsyannikova, 2015, No.1, pp.60-63.
4. Design and installation of cross-bonding of cable line screens
// M. Dmitriev, 2015, No.2, pp.68-70.
5. Application features of cables with cross-linked polyethylene insulation
// M. Dmitriev, 2015, No.3, pp.92-97.

6. Protection of overhead line insulation from overvoltages
// M. Dmitriev, 2015, No.3, pp.106-110.
7. Plastic wells for screens cross-bonding of 6-500 kV cables
// M. Dmitriev, 2015, No.4, pp.70-73.
8. Protection of 330-750 kV overhead lines from aperiodic currents and resonant overvoltages
// M. Dmitriev, 2015, No.6, pp.60-65.
9. Polymer pipe as the most important element of the 6-500 kV cable system
// M. Dmitriev, 2015, No.6, pp.78-83.
10. Screens grounding of 6-500 kV single-core cables: distance from joints to link-boxes
// M. Dmitriev, 2016, No.1, pp.70-77.
11. Power transformer faults when switching 6-35 kV cables
// M. Dmitriev, 2016, No.2, pp.86-91.
12. Mechanical calculation of polymer pipes
// M. Dmitriev, 2016, No.3, pp.70-75.
13. Neutral grounding in 6-35 kV cable networks
// M. Dmitriev, 2016, No.5, pp.76-81.
14. About ways to increase the current capacity of cables in pipes
// M. Dmitriev, 2016, No.6, pp.76-81.
15. Transient resonance in schemes with 6-500 kV cable lines
// M. Dmitriev, 2017, No.1, pp.78-83.
16. Features of power transmission over long cable lines of 6-500 kV AC-voltage
// M. Dmitriev, 2017, No.2, pp.52-58.
17. Cable screen grounding in 20 kV network
// M. Dmitriev, 2017, No.2, pp.72-75.
18. Calculation of thermal resistance of 110-750 kV overhead line lightning wires
// M. Dmitriev, S. Rodchikhin, 2017, No.3, pp.66-69.
19. System of correction factors when choosing cables
// M. Dmitriev, 2017, No.4, pp.84-90.
20. Voltage induced on high voltage cable lines
// M. Dmitriev, 2017, No.6, pp.86-91.
21. Longitudinal parameters of 6-500 kV cable lines with single-core cables
// M. Dmitriev, 2018, No.1, pp.84-90.
22. Fire hazard of 6-500 kV cable lines in polymer pipes
// M. Dmitriev, 2018, No.2, pp.122-127.

23. Checking of 6-500 kV cable lines in case of short-circuits. Conditions of thermal stability and non-combustibility
// M. Dmitriev, 2018, No.4, pp.74-80.
24. Automatic reclosure on mixed cable and overhead lines. Background of the issue
// M. Dmitriev, 2018, No.4, pp.86-87.
25. Overview of the world experience in the construction of termination points between high-voltage cable and overhead lines
// M. Dmitriev, M. Ermoshina M. and others, 2018, No.5, pp.64-72.
26. Inspection of screen and outer sheath of 6-500 kV cable lines
// M. Dmitriev, 2018, No.6, pp.86-93.
27. Transients on 110-500 kV cable lines with shunt reactors
// M. Dmitriev, 2019, No.1, pp.102-107.
28. Ways to reduce the voltages induced on 6-500 kV cable lines
// M. Dmitriev, 2019, No.3, pp.78-83.
29. Testing of 6-500 kV cables in polymer pipes
// M. Dmitriev, 2019, No.4, pp.82-85.
30. Damage locating of 6-500 kV cables in polymer pipes
// M. Dmitriev, 2019, No.5, pp.92-97.
31. Short-circuit currents in 6-500 kV electrical networks containing cable lines
// M. Dmitriev, 2023, No.3, pp.60-64.
32. Issues of choosing the cross-section of 6-500 kV cable screen
// M. Dmitriev, 2023, No.4, pp.88-91.

II. The "News of Electrical Engineering" magazine

33. Overvoltage protection of high-voltage equipment
// V. Dmitriev, M. Dmitriev, 2004, No.6.
34. Application of metal-oxide surge arresters in 110-220 kV networks
// M. Dmitriev, 2006, No.5, pp.52-55.
35. Single-core 6-500 kV power cables
// M. Dmitriev, G. Evdokunin, 2007, No.2, pp.80-85.
36. USSR rules of electrical installations (PUE) and protection against lightning overvoltages
// M. Dmitriev, 2007, No.3, pp.89-90.

37. Single-core power cables of medium voltage 6-10 kV
// M. Dmitriev, G. Evdokunin, 2007, No.5, pp.105-109.
38. Diagnostics of metal-oxide surge arresters in operation
// M. Dmitriev, 2008, No.1, pp.66-69.
39. Single-core 6-500 kV power cables: calculation of thermal resistance of screens at short-circuit
// M. Dmitriev, G. Evdokunin, 2008, No.2, pp.104-108.
40. High-voltage overhead lines: switching and effects on switches
// M. Dmitriev, G. Evdokunin and others, 2008, No.3, pp.64-68.
41. Modeling of transients in an electrical network containing transformers taking into account the configuration of their magnetic system
// M. Dmitriev, G. Evdokunin, 2008, No.5, pp.48-53.
42. Protection of 110-220 kV overhead line insulation from lightning overvoltages
// M. Dmitriev, 2008, No.6, pp.44-47.
43. Screen power losses and the efficiency of screen cross-bonding for 6-500 kV cable lines
// M. Dmitriev, 2009, No.1, pp.48-51.
44. The choice of explosion-proof current for metal-oxide surge arresters 6-750 kV
// V. Dmitriev, M. Dmitriev, P. Golubev, 2009, No.4, pp.54-57.
45. Universal self-supporting 6-35 kV cable
// M. Dmitriev, 2010, No.1, pp.44-47.
46. Cross-bonding of single-core cables and their screens
// M. Dmitriev, M. Kiyatkina, 2011, No.1, pp.36-38.
47. Single-core automatic reclosure of overhead lines with automatic-controlled shunt reactors
// M. Dmitriev, G. Evdokunin and others, 2011, No.4, pp.28-32.
48. Metal bus. Efficiency in parallel laying with single-core cables
// M. Dmitriev, M. Kiyatkina, 2011, No.5, pp.70-73.
49. Screens cross-bonding for 6-500 kV cable lines. Practical aspects of use
// M. Dmitriev, M. Kiyatkina, 2012, No.2, pp.80-84.
50. Aperiodic currents of 500-750 kV overhead lines with shunt reactors
// M. Dmitriev, N. Grinev, G. Evdokunin, 2012, No.4, pp.28-32.
51. Methodology for selecting measures to combat aperiodic currents on lines with shunt reactors
// M. Dmitriev, 2012, No.5, pp.62-64.
52. Requirements for grounding in cross-bonding nodes of single-core 6-500 kV power cables
// M. Dmitriev, 2013, No.1.

53. Thermal calculation of 6-500 kV cable lines laid in polyethylene pipes
// M. Dmitriev, 2013, No.4.
54. Requirements for compensation of 500-750 kV overhead line charging power
// M. Dmitriev, 2013, No.5, pp.45-48.
55. Typical mistakes when performing grounding of single-core 6-500 kV cables. Part 1
// M. Dmitriev, 2013, No.6, pp.50-53.
56. Typical mistakes when performing grounding of single-core 6-500 kV cables. Part 2
// M. Dmitriev, 2014, No.1, pp.50-52.
57. Self-supporting optical cable. Selecting the attachment point to the overhead line tower
// M. Dmitriev, 2014, No.2, pp.62-65.
58. Installation of metal-oxide surge arresters on overhead line approaches to switchgear
// M. Dmitriev, 2014, No.3, pp.46-50.
59. Metallic screen selection for 6-500 kV cables taking into account the aperiodic current
// M. Dmitriev, 2014, No.4, pp.34-37.
60. Cable lines 6-500 kV. Thermal calculation in case of short-circuit
// M. Dmitriev, 2014, No.5, pp.52-55.
61. Resistors in the neutral of 330-750 kV shunt reactors
// M. Dmitriev, 2014, No.6, pp.36-40.
62. Selection of load parameters of 110-500 kV cable lines
// M. Dmitriev, 2015, No.1, pp.28-31.
63. Selection of 6-500 kV cable lines taking into account overloads
// M. Dmitriev, 2015, No.2, pp.32-34.
64. Cable lines laid in polymer pipes. Thermal calculation
// M. Dmitriev, 2015, No.5, pp.32-34.
65. Armored cables 6-35 kV: problems and solutions
// M. Dmitriev, 2015, No.6, pp.42-45.
66. Wells grounding on 6-500 kV cable lines with screens cross-bonding
// M. Dmitriev, 2016, No.2, pp.50-51.
67. False operation of relay protections on 6-35 kV lines with single-core cables
// M. Dmitriev, 2016, No.3, pp.38-41.
68. Design and construction of 6-500 kV cable lines. Important issues
// M. Dmitriev, 2016, No.4, pp.24-26.
69. High-voltage lines with single-core cables. Protection against overvoltages
// M. Dmitriev, 2016, No.6, pp.38-41.

70. Grounding of termination points on 35-500 kV mixed overhead and cable lines
// M. Dmitriev, 2017, No.1, pp.48-51.
71. Selection of grounding points for lightning wires of 35-750 kV overhead lines
// M. Dmitriev, S. Rodchikhin, 2017, No.2-3, pp.62-64.
72. Cable and overhead lines. Automatic reclosure and switching overvoltages
// M. Dmitriev, 2017, No.5-6, pp.80-84.
73. Choosing an optimal position of single-core cables for 6-500 kV cable lines
// M. Dmitriev, 2018, No.5-6, pp.48-51.

III. The "Energetik" magazine

74. Suspended metal-oxide surge arresters to protect the insulation of overhead lines
// V. Dmitriev, M. Dmitriev, 2005, No.3, pp.21-25.
75. The effect of "reverse transformation" and internal overvoltages in electric networks with traction substations
// A. Afanasyev, M. Dmitriev and others, 2006, No.12, pp.26-33.
76. Screens grounding of single-core high-voltage power cables
// M. Dmitriev, G. Evdokunin, 2007, No.11, pp.22-27.
77. Screens grounding of 6-10 kV single-core cables with XLPE insulation
// M. Dmitriev, G. Evdokunin, 2009, No.2, pp.27-30.
78. Losses in screens of single-core 6-500 kV cables and efficiency of screens cross-bonding
// M. Dmitriev, 2009, No.9, pp.28-32.
79. Economic aspects of grounding screens for single-core 6-500 kV power cables
// M. Dmitriev, 2011, No.1, pp.16-18.
80. Computer simulation of controlled shunt reactors of various types and comparison of their technical characteristics
// M. Dmitriev, G. Evdokunin and others, 2011, No.3, pp.27-31.
81. Questions of the choice of explosion-proof current for metal-oxide surge arresters 6-750 kV
// V. Dmitriev, M. Dmitriev, 2011, No.5, pp.14-17.
82. Consideration of magnetic hysteresis in the simulation of power transformers and reactors
// M. Dmitriev, A. Karpov, R. Nikolaev, 2012, No.1, pp.16-19.
83. Single-core automatic reclosure on lines with an automatic-controlled shunt reactor
// M. Dmitriev, A. Dolgoplov and others, 2012, No.4, pp.19-24.
84. Cross-bonding of single-core cables and cross-bonding of their screens
// M. Dmitriev, M. Kiyatkina, 2012, No.4, pp.24-27.

85. Efficiency of using a metal bus parallel to single-core cables
// M. Dmitriev, M. Kiyatkina, 2012, No.6, pp.20-22.
86. Problems of disconnecting lines 330-750 kV with shunt reactors using SF6 switches
// M. Dmitriev, E. Sheskin, 2013, No.10, pp.46-50.
87. Requirements for compensation of the charging capacity of 500-750 kV transmission lines
// M. Dmitriev, 2014, No.11, pp.3-8.
88. Self-supporting optical cable: selection of the attachment points to the overhead line towers
// M. Dmitriev, 2015, No.3, pp.9-11.
89. Selection of the cable screen cross-section: taking into account the current aperiodic component
// M. Dmitriev, 2015, No.5.
90. On the possibility of using resistors in neutral of 330-750 kV shunt reactors
// M. Dmitriev, 2015, No.10, pp.3-7.
91. Current capacity of 6-500 kV cable lines laid in polymer pipes
// M. Dmitriev, 2017, No.2, pp.43-46.
92. Armored cables 6-35 kV: problems and solutions
// M. Dmitriev, 2017, No.3, pp.17-21.
93. Mechanical calculation of polymer pipes for cables
// M. Dmitriev, 2017, No.7, pp.51-55.
94. Transient resonance in circuits made with 6-500 kV cables with XLPE insulation
// M. Dmitriev, 2018, No.3, pp.22-26.

IV. The "Cable News" magazine

95. Overvoltages on outer sheath of 6-500 kV single-core cables and protection against them
// M. Dmitriev, 2008, No.9, pp.56-62.
96. Screen cross-section selection of single-core power cables
// M. Dmitriev, 2009, No.5, pp.68-73.
97. Heat resistance of 6-500 kV cable lines. Requirements for polyethylene pipes
// M. Dmitriev, 2014, No.1, pp.28-33.
98. Outer sheath testing of 6-500 kV cable lines
// M. Dmitriev, 2014, No.2, pp.16-19.
99. Safety of 6-500 kV cable lines
// M. Dmitriev, 2014, No.3, pp.30-36.

100. Metal-oxide surge arrester application for protection of 6-500 kV cables
// M. Dmitriev, 2014, No.4, pp.14-19.
101. Self-supporting optical cable for 35-330 kV overhead lines. Induced voltage calculations
// M. Dmitriev, 2014, No.5, pp.14-18.
102. Requirements for cable line pipes
// M. Dmitriev, 2014, No.6, pp.22-26.

V. The "Electro-info" and "Energo-info" magazines

103. What prevents the widespread use of metal-oxide surge arresters on overhead lines?
// M. Dmitriev, 2006, No.9, pp.15-18.
104. The effect of "reverse transformation" in electrical networks, including traction substations, and analysis of the causes of equipment damage
// A. Afanasyev, M. Dmitriev и другие, 2006, No.9, pp.19-25.
105. Screens grounding of single-core high-voltage power cables
// M. Dmitriev, G. Evdokunin, 2007, No.1, pp.62-71.
106. Protection of 35-750 kV switchgear equipment from lightning overvoltages
// M. Dmitriev, 2007, No.8, pp.74-75.
107. Screens grounding of single-core 6-500 kV power cables with XLPE insulation
// M. Dmitriev, G. Evdokunin, 2007, No.10, pp.60-64.
108. The effect of "Reverse transformation" in networks including traction substations of 27.5 kV
// A. Afanasyev, M. Dmitriev, G. Evdokunin, 2008, No.9, pp.49-53.

VI. The "Energo-expert" magazine

109. Calculation of grounding for 6-500 kV cable screens, taking into account the route features
// M. Dmitriev, 2016, No.6, pp.32-35.
110. Single-core and three-core cables 6-35 kV. Differences in the selection of the screens cross-section and screens grounding scheme
// M. Dmitriev, 2017, No.1, pp.49-53.

VII. The "Proceedings of the Academy of Sciences" magazine

111. Maximum multiplicities of lightning overvoltages at the substation
// M. Dmitriev, G. Evdokunin, 2004, No.2, pp.108-116.
112. Lightning discharge parameters in lightning protection tasks
// V. Dmitriev, M. Dmitriev, 2005, No.4, pp.54-61.
113. Modeling of transients in an electrical network containing transformers taking into account the configuration of their magnetic system
// M. Dmitriev, G. Evdokunin, 2009, No.2, pp.37-48.

VIII. The "Relay Protection and Automation" magazine

114. On improving the efficiency of the use of temperature monitoring for 110-500 kV cable lines
// M. Dmitriev, P. Ilyushin, 2018, No.1, pp.20-27.

IX. The "Electrical engineering" magazine

115. Principles of modeling transient processes in a transformer taking into account the topology of the properties of the magnetic circuit
// C. Arthury, M. Dmitriev and others, 2013, No.1, pp.16-24.

X. Other magazines

116. Multi-gradient metal oxide surge arresters
// "Electrotechnical market" magazine, M. Dmitriev, S. Kabanov, M. Krasavina, 2007, No.3, pp.40-41.
117. Multi-gradient metal oxide surge arresters for voltages 110-750 kV
// "Construction-profile" magazine, M. Dmitriev, S. Kabanov, M. Krasavina, 2008, No.2/1, pp.72-73.